




耐动康复器械配件

NEDONG REHABILITATION DEVICE ACCESSORIES SERIES

蜂窝结构
Honeycomb Structure
超强减震更舒适
Shock Absorption and More Comfortable

TPE材质
TPE Material
环保无味抗龟裂
Eco-friendly, Odourless and Anti-cracking

抗老化
Anti-ageing & Durable
五年内不变硬
No Change in Hardness Within 5 Years




材质环保无异味
Material is environmentally friendly and odourless



减震缓冲更舒适
Shock absorption leads to better riding experience



抓地防滑更安全
Grip design promises the riding safety



便携耐用免维护
Portable, durable and maintenance-free





型号Model	6x1.4轮组 Wheel Set		
直径Diameter	150±2mm	胎宽Width	33±1mm
开档宽度Dropout Spacing	39.5±1mm		
适配轴承Bearings	608z		



型号Model	6x1.8轮组 Wheel Set		
直径Diameter	147±2mm	胎宽Width	44±1mm
开档宽度Dropout Spacing	对称轮组Symmetric Wheel Set : 55±1mm 偏心轮组Eccentric Wheel Set : 58±1mm		
适配轴承Bearings	对称轮组Symmetric Wheel Set : 608z 偏心轮组Eccentric Wheel Set : 608z、6001、6190		



型号Model	7x1.3轮组 Wheel Set		
直径Diameter	173±2mm	胎宽Width	34±1mm
开档宽度Dropout Spacing	41.5±1mm		
适配轴承Bearings	608z		



型号Model	7x1.8轮组 Wheel Set		
直径Diameter	173±2mm	胎宽Width	44±1mm
开档宽度Dropout Spacing	对称轮组Symmetric Wheel Set : 55±1mm 偏心轮组Eccentric Wheel Set : 58±1mm		
适配轴承Bearings	对称轮组Symmetric Wheel Set : 608z 偏心轮组Eccentric Wheel Set : 608z、6001、6190		



型号Model	7x1.8轮组 Wheel Set		
直径Diameter	173±2mm	胎宽Width	44±1mm
开档宽度Dropout Spacing	58±1mm		
适配键槽Pin Size	17-5*5 / 17-6*6		



型号Model	8x1.3轮组 Wheel Set		
直径Diameter	194±2mm	胎宽Width	32±1mm
开档宽度Dropout Spacing	44±1mm		
适配轴承Bearings	608z		



型号Model	8x1.8轮组 Wheel Set		
直径Diameter	191±2mm	胎宽Width	45±1mm
开档宽度 Dropout Spacing	55±1mm		
适配轴承 Bearings	608z、6000		



型号Model	8x2.0轮组 Wheel Set		
直径Diameter	195±2mm	胎宽Width	50±1mm
开档宽度 Dropout Spacing	55±1mm		
适配轴承 Bearings	608z、6000		



型号Model	8x2.4轮组 Wheel Set		
直径Diameter	197±2mm	胎宽Width	59.5±1mm
开档宽度 Dropout Spacing	58±1mm		
适配键槽 Pin Size	17-5*5、17-6*6		



型号Model	10x1.5轮组 Wheel Set		
直径Diameter	233±2mm	胎宽Width	37.5±1mm
开档宽度 Dropout Spacing	40±1mm		
适配轴承 Bearings	6001		



型号Model	10x1.8轮组 Wheel Set		
直径Diameter	233±2mm	胎宽Width	45±1mm
开档宽度 Dropout Spacing	63±1mm		
适配键槽 Pin Size	17-5*5		




型号Model	10x2.125轮组 Wheel Set		
直径Diameter	253±2mm	胎宽Width	52±1mm
中心定位孔径 Central positioning aperture		37mm	
孔直径 Hole diameter		6.2mm	



型号Model	10x2.125轮组 Wheel Set		
直径Diameter	253±2mm	胎宽Width	52±1mm
开档宽度Dropout Spacing	49±1mm		
适配轴承Bearings	6001		

型号Model	10x2.125轮组 Wheel Set		
直径Diameter	253±2mm	胎宽Width	52±1mm
开档宽度Dropout Spacing	57±1mm		
适配键槽Pin Size	17-6*6		



型号Model	12x1.5轮组 Wheel Set		
直径Diameter	275±2mm	胎宽Width	38±1mm
开档宽度Dropout Spacing	54±1mm	适配轴承Bearings	6201
适配键槽Pin Size	17-6*6		




型号Model	12x2.0轮组 Wheel Set		
直径Diameter	297±2mm	胎宽Width	47±1mm
开档宽度Dropout Spacing	54±1mm	适配轴承Bearings	6201
适配键槽Pin Size	17-6*6		




型号Model	12x2.125轮组 Wheel Set		
直径Diameter	297±2mm	胎宽Width	54±1mm
开档宽度Dropout Spacing	55±1mm		
适配键槽Pin Size	17-6*6		




型号Model	12x2.5轮组 Wheel Set		
直径Diameter	318±2mm	胎宽Width	62±1mm
开档宽度Dropout Spacing	56±1mm	适配轴承Bearings	6201
适配键槽Pin Size	17-6*6		



型号Model	20x1.0轮胎 Tire		
直径Diameter	483±2mm	胎宽Width	27±1mm
适配轮毂卡槽Suitable Rim Groove Width	18.5mm		
适配轮毂直径Suitable Rim Diameter	460mm		



型号Model	22x1.1轮胎 Tire		
直径Diameter	518±2mm	胎宽Width	27±1mm
适配轮毂卡槽Suitable Rim Groove Width	18.5mm		
适配轮毂直径Suitable Rim Diameter	520mm		



型号Model	24x1.1轮胎 Tire		
直径Diameter	573±2mm	胎宽Width	27±1mm
适配轮毂卡槽Suitable Rim Groove Width	18.5mm		
适配轮毂直径Suitable Rim Diameter	550mm		



型号Model	轻量化减震胶脚 Light Weight Shock Absorbing Rubber Feet		
重量Weight	57g±5%	高度Height	76mm
材质Material	TPE	硬度Hardness	67A
适配管径Adaptive Pipe Diameter	19mm		