




耐动自行车轮胎

NEDONG BICYCLE TIRES

蜂窝结构 · 超强滤震更舒适

Honeycomb · Outstanding performance on shock absorption



材料无毒环保。
Material is non-toxic and environmentally friendly



不怕扎，免充气。
Puncture-free, inflation-free




缓冲性能好，骑行舒适。
Good cushion performance, comfortable riding



可根据客户需求定制轮胎规格、颜色。
Sizes, structures and colors can be customized




抗酸雨、紫外线、臭氧，耐候性强，即使在强光照射、酸雨等严酷的环境下，轮胎在五年之内不会出现龟裂。
Resistance to acid rain, ultraviolet rays and ozone; strong resistance to climate change; the tire will not crack within five years even in the harsh environment of strong light, acid rain, etc.




型号： Model	20x1.75
匹配轮毂直径： Suitable Rim Diameter	420mm
匹配轮毂卡槽： Suitable Rim Groove Width	25mm

型号： Model	24x1.5	28x1-3/8
匹配轮毂直径： Suitable Rim Diameter	520mm	638mm
匹配轮毂卡槽： Suitable Rim Groove Width	25mm	19.5mm



型号： Model	16x1.5	20x1.5	22x1.5	24x1.5	24x1.75	26x1.5	26x1.75
匹配轮毂直径： Suitable Rim Diameter	320mm	420mm	460mm	520mm 550mm	520mm	573mm	573mm 602mm
匹配轮毂卡槽： Suitable Rim Groove Width	25mm						



型号： Model	16x1-3/8	20x1-3/8	24x1-3/8	26x1-3/8	700Cx23C	700Cx25C
匹配轮毂直径： Suitable Rim Diameter	320mm	420mm	550mm	573mm 602mm	630mm	
匹配轮毂卡槽： Suitable Rim Groove Width	19.5mm				14.5mm	18.5mm



型号： Model	20"流星塑钢轮 Plastic Wheel
前后开档： Front/rear Opening size	前轮110mm / 后轮120mm Front wheel Rear wheel
适用刹车： Applicable brakes	抱刹Holding brake
适用飞轮： Applicable flywheels	单速飞轮 Single-speed flywheel



型号： Model	24"枫叶塑钢轮 Plastic Wheel	24"双子塑钢轮 Plastic Wheel
前后开档： Front/rear Opening size	前轮Front wheel 110mm / 后轮Rear wheel 120mm	
适用刹车： Applicable brakes	抱刹Holding brake	抱刹, 前轮可适配鼓刹 Holding brake applicable, Front wheel Drum brke adaptable
适用飞轮： Applicable flywheels	单速飞轮Single-speed flywheel	

型号： Model	26"流星塑钢轮 Plastic Wheel
前后开档： Front/rear Opening size	前轮110mm / 后轮120mm Front wheel Rear wheel
适用刹车： Applicable brakes	抱刹Holding brake
适用飞轮： Applicable flywheels	单速飞轮 Single-speed flywheel

